

CONTRACTORS RENTAL & SUPPLY

Rental Catalog

RENTALS | SALES | SERVICE

badgercontrac torsrental.com

Madison

Janesville

608.257.2349

1501 Gilson St, Madison, WI 53715 4033 N US Hwy 51. Janesville, WI 53545 608.314.0722

CATEGORY INDEX Air Powered Breakers / Hammers Electric Breakers Augers Floor Grinders 11,12 Floor Polishers Scaffolding..... Floor Scrubber Generators Skid Steer Breaker Green Concrete Saws Concrete -15,16 Landscape Equipment Laser Levels Submersible Pumps Machine Skates Magnetic Base Drill Metal Detector Mortar Mixers Pressure Washers Vibrators (Concrete) 5 Weed Mower / Brush Mower 15



Why Rent?

Having the right equipment for each project can be difficult to plan for. Renting equipment eases the burden of storage space, transportation between projects, maintenance downtime and costs as well as freeing up initial capital.

Why Rent From Badger?



We take pride in offering highly maintained and tested equipment for worry free rentals. Our large inventory incorporates the latest technologies from the most trusted vendors in the industry. Our team is responsive and well trained in the equipment and you'll find us easy to work with. We always have your best interests in mind.

Shift Rates

time limits

Weekend Project? A 1 day

charge for the weekend! Pick

Monday morning (before 8 am)

*Items with hour meters subject to

up Friday afternoon return

for a 1 day rental charge!

Certain equipment has hourly limits of 8 hours a day, 40 hours a week or 160 hours a month. Additional shift charges may apply.

Rental Rates

Published Rates are subject to change. Rates do not include any damage incurred during the rental, renter will be responsible for parts and labor of repairing equipment if damage occurs.

LIFTS / MOVING EQUIPMENT

Electric Scissor Lift

Max Platform Height: 18'11" 500lb. Capacity. Height (stowed) 6'-6" Width 2'-7" Length 6'-3"



Material / Furnace Lift

20 ft Lift Height

800lb. Capacity. 6'H x 3'W x 7'L folded in





Manual & Powered Appliance Dolly's

Large Plate Attachment Large Wheel Attachment Powered Dolly has stair climbers



Machine Skates 30 Ton Capacity



SURVEYING EQUIPMENT

Laser Level - Self Leveling

1650 Ft Operating Range with 3/32 Accuracy @ 100 Ft Complete Kit with Tripod and Receiver



Metal Detector

Great for property stakes and finding all ferrous metals underground



AIR TOOLS AND COMPRESSORS

Air Powered Breakers, Hammers and Rock Drills







Tow Behind Compressors

185 CFM @ 100 PSI

3/4" Air Hose 2" Ball




TOW BEHIND BOOM LIFT

Model 4527A

Working Height - 51ft Platform Height - 45 ft Horizontal Outreach - 27 ft Weight - 4,200 lbs 2" Ball





RIDE ON VIBRATORY ROLLER

Articulated movement with power-assist provides accurate, positive steering control and increases maneuverability in confined job sites

Large 40 Gallon Poly Water

3,100 lbf Compaction Force 0 - 4.8 mph Travel Speed 3,173 lb Operating Weight 35.7 Inch Drum Width



REVERSING PLATE COMPACTOR

High Compaction force combined with fast forward and reverse travel speeds. 749 lbs Operating Weight 17" x 35" Base Plate Size Honda GX390 Gas Engine 12,364 lbf Centrifugal Force





RAMMERS / JUMPING JACK

MTX Series Rammers are renowned for performance and ease of operation.

4 Cycle Honda GX100 Engine 3,064 lbf Impact Force 13.4" x 10.4" Shoe Dimensions 141 lb Operating Weight



PLATE COMPACTOR

5.5 HP Honda Gas Engine 20" x 21" Plate Size 82 ft Max Forward Speed 3,372 lbf Centrifugal Force With or With Out Water Tank 229 lbs Operating Weight



BATTERY POWERED PLATE COMPACTOR



E2000 powered by Honda eGX Battery. Weighs 201 lbs. Fully charged battery lasts 30 min.



PAVER PLATE COMPACTOR



Give interlocking pavers an even finish.

The machines' hard rubber rollers make it virtually impossible to chip corners, scartch, break or drag pavers.

Great for narrow areas and exterting compaction pressure alongside walls.

Tooles foldable handle allows for quick and easy loading into vans and trucks.

Rollers allow for easy pull back to compact on the spot.

CONCRETE TROWELS / CONCRETE SCREEDS



MQ VIHITEMAN

Available in LP (36" Trowel Only)

Walk Behind Trowels

36" Gas 5.5 HP Honda 150 lbs Operating Weight Standard Handle Combo Blades Included

46" Gas 9 HP Honda 240 lbs Operating Weight Standard Handle Combo Blades Included







Walk Behind Edging Trowels

24" and 30" Sizes Available

5.5 HP Honda Gas Engine



Concrete Vibratory Screed

4-Cycle Honda GX35
Trigger Throttle allows instant
response to concrete conditions
6', 8', 10', 12' and 14' Bars
Available







Riding Concrete Trowels

8' Stick Control & 8' Hydraulic Steer Options Available

Setting the standard for concrete trowels in the industry



- Gas or Diesel Powered 8' Stick Machines
- Dual Fuel (Gas or LP) Powered 8' Hydro
- Combo Blades Standard on all Machines
- Float Pans Available for Rent

CONCRETE VIBRATORS GAS & ELECTRIC

Electric Hand held Vibrators, Hi-Cycle Electric Vibrators, Gas Back Pack and Gas Pole Hand held Vibrators Available



CONCRETE CHUTE

The one-piece construction provides strength. Flat welded bars spaced along the top of the chute provides rigidity for strength. The included chain allows the chute to secured to the truck. 12' & 16" Lengths



POWER BUGGY



Perfect for quick and easy material transport around the job site. These buggies give excellent traction in job site conditions.







AVAILABLE IN GAS AND LP

11, 16 AND 21 CUBIC FOOT SIZES

BATTERY POWERED BUGGY



Exceptional runtime and a compact design make it nimble and convenient. The electric Ultra Buggy® is powered by HyperCell®, a battery technology developed by Toro, to match the power of our traditional gas powered products and is optimized to deliver up to an exceptional eight-hours continuous runtime, allowing it to run as long as your crew.

TRACK POWER BUGGY





Features an aggressive track pattern enabling the buggy to travel effortlessly through soft soils and muddy site conditions.



TRACK PIVOT DUMP BUGGY





Tub pivots up to 180 degrees (Features both hand & foot levers to control rotation)

Rotation system features hydraulic cylinder to rack & pinion Pivot system features idler wheel to maintain hydraulic hose tension and prevent chaffing

Optimal traction and durability assured by a steel imbedded ladder track design

LIGHT TOWER

Perfect choice for illuminating construction sites, outdoor events, industrial applications and emergen-cy work.



CONCRETE STAMPS

- Concrete Texture Kits include full set of stamps or boarder tools, with texture and touch up skins.
- We also stock decorative release, antiquing release and colors.

FLAGSTONE



RENAISSANCE SLATE



BOARDWALK



ASHLAR CUT SLATE



ENGLISH ASHLAR




NEW BRICK



LONDON COBBLE STONE



TRAVERTINE COARSE



ROMAN SLATE



RANDOM STONE BELGIUM SLATE



SOLDIER COURSE GRANITE BOARDER



USED BRICK BOARDER



- ALSO AVAILABLE -

Antique Release Powder / Liquid
Decorative Sealer
Concrete Stains
Brickform Day 1 Sprayfilm
Concrete Patches / Overlays



Decorative Concrete Augmented Reality www.stampapp.net

www.badgercontractorsrental.com

FLOOR GRINDER / POLISHER

Single Head Electric Floor Grinder - 220V

Single Head 16" Grinding Width 220V with Cord and Pigtails Vacuum Port for Dustless Weighs 278 Lbs



ELECTRIC FLOOR GRINDERS

Single Head Electric Floor Grinder - 110V

Single Disc Grinder, lightweight and compact, Weighs 154 Lbs. Vacuum port for dustless. 11" Grinding Width



Dual Head Electric Floor Grinder

Diamond or Carbide Inserts available for rent. Dust port for vacuum.



SCARIFIER

Gas Scarifier

9HP Honda Gas Engine 8" Working Width Approx 350 - 500 SQ Ft Per Hour @ 1/8" Traffic Lines @ 800 - 1000 Ln FT per hour 190 Lbs Machine Weight Great for Sidewalk Trip Hazard Repair, concrete coatings removal, creating



Electric Scarifier

non-slip surfaces.

115V Electric Motor
8"Working Width
Approx 370 SQ Ft Per Hour @ 1/8"
130 Lbs Machine Weight
The FR 200 handles a variety of
different jobs, from straight forward
cleaning to the tricky removal of
pavement markings. The compact
size and the easy handling of the
machine makes it ideal for carrying
out precise work on small or medium
surfaces, both indoors and outdoors.

HAND HELD SURFACE GRINDER DUSTLESS

5" Electric Surface Grinder

Smoothing floor pavement, removing graffiti, polishing concrete, removing irregularities, form work seams and protrusions. Edge Grinding shroud, dust port.



CORE DRILLS



Core Drill with Stand

14" Bit Capacity85 lbs3 Speed Gearbox with Load IndicatorWet Drilling Only



Hand held Core Drill with Optional Stand

Wet or Dry Drilling 6" Max Bit Capacity Ideal in tight spaces and where stands are inconvenient. For larger drill bits, the stand is used.

When using by hand 3" maximum Core Bit

On Stand maximum is 6"



Core Drill Bits

General Purpose Drilling Water must be used Optional Water Tanks Available Available in sizes: 2", 3", 4", 5", 6", 8", 10" and 12"



ELECTRIC BREAKERS & DEMO TOOLS



66 Lb Electric Breaker / Jack Hammer with Dustless Attachment

1,000 BPM and 35 ft.-lbs. of impact energy. Weights 63 lbs. Includes cart, point and chisel. 3" Chisels, Asphalt Spades also available



30" Long 39 Lbs Impact force of 34 ft-lbs. and powerful 1,750 Watt motor



Electric Demo Hammers & Chipping Hammers with Dustless Attachment

Powerful motors with constant response circuitry. SDS Max accessories available



GENERATORS





Dependable job-site power with Honda, Wacker and MultiQuip Generators. Gas and Diesel Engine Options.

Sizes starting at 2,000 watts up to





How Much Power Do You Need?

HOUSEHOLD/RV APPROX. WATTAGE REQUIRED FOR STARTING	APPROX. RUNNING WATTAGE REQUIREMENTS	CONTRACTOR (CONT'D)	APPROX. WATTAGE REQUIRED FOR STARTING	APPROX. RUNNING WATTAG REQUIREMENT
Air Conditioner	200	Electric Chain Saw, 14 inches, 2	hp1100	
Window Unit, 10,000 BTU	1200	High-Pressure Washer, 1Horse Rotary Hammer		
Washing Machine				
Box Fan or Table Fan, 20 inches	85-180	Table Saw, 10 inches		
Clothes Dryer		Arness Paint Sprayer	/00-1500	/00-1500
Electric	5400 900	INDUSTRIAL MOTORS		
Coffee Maker (Pod Style)	200-400	Capacitor Start Capacitor Run		
Dishwasher (Cool Dry)	1200	% Horsepower	600	27
Electric Blanket	50-150	¼ Horsepower	850	400
Electric Fry Pan	1800	½ Horsepower		600
Electric Range		% Horsepower	1900	850
6-Inch Element		1Horsepower		1000
8-Inch Element		1½ Horsepower	3900	2000
Fumace Fan, gas or fuel oil		3 Horsepower		3000
% Horsepower. 500 % Horsepower. 750	300	4 Horsepower		4800
% Horsepower		Capacitor Start Induction Run		
% Horsepower	700	¼ Horsepower		275
½ Horsepower	875	¼ Horsepower		400
Incandescent Lights as indicated on bulb	as indicated on bulb	½ Horsepower	1800	600
LED Light bulbs (as marked)	5-15	¼ Horsepower		
Microwave Oven		1Horsepower	3000	1000
650 Watts	650	1½ Horsepower	4200	1600
800 Watts 1300 1000 Watts 1400	800	2 Horsepower	6900	300
		4 Horsepower	9800	480
Radiant Heater		Fan Duty		
Radio50-200		¼ Horsepower	1200	650
Refrigerator or Freezer (Energy Star) 1200	50-75	Split Phase		
Sump Pump ½ Horsepower	050	¼ Horsepower		
½ Horsepower	1050	¼ Horsepower ¼ Horsepower		
Television (LED)		½ Horsepower		
Toaster				
Home Oxygen Concentrator (5-10 LPM)800		FARM EQUIPMENT		
Dehumidifier		Battery Charger		
Hair Dryer300-1600		15 amp	380	380
Cell Phone Charger1-4		60 amp with 250-amp boost	1500/5200	1500/5200
Computer Charger		100 amp with 300-amp boos		
Computer Charger 00-120	00-120	Electric Fence, 25 miles	250	250
CONTRACTOR		Electric Welder		1000
		200 amp AC		
Air Compressor % Horsepower	1000			
1 Horsepower		Milker (vacuum pump), 2 Horse		1000
Bench Grinder, 8 Inches		Portable Heater (Kerosene, Die 50,000 BTU	sel Fuel)	404
Circular Saw, Heavy Duty, 7 ¼ Inches 2300		90,000 BTU	725	400 500
Concrete Vibrator		150,000 BTU	1000	
1 Horsepower	1050	and the same of th		
2 Horsepower	1250	OFFICE		
3 Horsepower		Desktop Computer	60,250	60.250
Demolition Hammer1260		Fax Machine		
Drain Cleaner	250	Laptop Computer		
Drills		Monitor (LCD Style)		
% inch, 4 amps				
½ inch, 5.4 amps	600	Printer (Commercial)	400-650	400-650

Ask your Honda Dealer to help you select the most efficient model for your power needs.

Amps x Volts = Watts NOT ALL MODELS AVAILABLE IN ALL STATES

FLOOR STRIPPERS / FLOOR SCRUBBERS

Self Propelled Tile, VCT & Carpet Stripper

5,000 Strokes/min Heavy Duty impact. 3 weight positions for adjusting aggressiveness Multiple blade widths & styles for all types of flooring removal for purchase



17" Buffing, Scrubbing and Stripping Pads available for purchase



FLOOR SANDING







Drum Sanders, Floor Edger and Cherryhill Orbital Floor Sanders Available Variety of Grits available for purchase for each sander

ROTARY HAMMERS / ELECTRIC DRILLS & TOOLS









3/4" rotary hammers to 2" rotary hammers Various size grinders Magnetic Base Drills Concrete SDS Plus and SDS Max bits available for rent or purchase

SAWS



Cut Off Saws 14" / 16"





GAS OR ELECTRIC OPTIONS AVAILABLE



Battery Powered 14" Saw

5.5" Cutting Depth Zero CO2 Emissions



Hydraulic Ring Saw

10" Maximum Depth of cut Runs off of Hydraulic Power Pack



Hydraulic Power Pack

Maximum 10gal/min Hydraulic Flow 14HP Gas Engine 280 lbs



Hydraulic Chain Saw

15" or 20" Cut Depth available Runs off of Hydraulic Power Pack



Cut n Break Saw - Electric 110V

Max 16" Cutting Depth in Concrete.



Electric Brick and Block Saw

14" Blade Guard for 5" Cutting Depth Optional Water Kit for Dust Control



Wet Tile Saw with Blade



Gas Push Saw

14" Blade Diameter - 5" Max Cutting Depth Water Hookup to Control Dust



Gas Self Propelled Saw

20" Blade Diameter - 8" Max Cutting Depth Water Hookup to Control Dust Depth Cut Control



Electric Push Saw

16" Blade Diameter 240V 19.5 Amp with Pigtail for hardwire or dryer plug Water Hookup for Dust Control



Air Push Saw

120 CFM Required Water Hookup for Dust Control



Diamond Blades

Concrete, Asphalt, Masonry, VariCut, Masonry, Ductile Iron and Green Concrete diamond blades available for purchase and rent.









GREEN CONCRETE SAWS

Soff-Cut Prowler Push Saw

Uses 6" Soff-Cut Blade 1-3/16" Depth of Cut Includes Dust Port



Soff-Cut Self Propelled Saws

4000 Saw - 13.5" Max Blade Diameter 2.75" Max Cutting Depth Includes Dust Port



2500 Saw - 10" Max Blade Diameter 1.5" Max Cutting Depth, Includes Dust Port



SCAFFOLDING

Scaffolding Towers & Accessories

5' x 5' Frames Available 7' Planking with hooks Guard Rail Packages



Adjustable Leg Bakers Scaffold

6' High with Adjustable Ends and Casters Great for painting, drywall or working on stairways



*Blades Sold Separately

MIXERS - CONCRETE / MORTAR

3 Cubic Feet Electric Mixer

Poly Tub, stand for easy pouring, wheeled for easy transport. 110V Electric Motor.



Mortar Mixer - Electric or Gas

Tow Behind 2" Ball Required 6 Cubic Feet Mortar Tub Gas Engine or 110V Electric



Gas Concrete Mixer

Tow Behind 2" Ball Required 6 Cubic Feet Mixing Tub Gas Engine



HEATERS











Forced Air Propane Heaters

Variable output, electronic spark ignition, thermostatic temperature control *Propane Tanks Available

Premier 40 Heater

Weighs 55lbs
Runs on a single 20lb LP Tank
Quiet, includes Ducting and Thermostat
Easy to Operate



DEHUMIDIFIERS / AIR MOVERS / FANS

Dehumidifier - 25 Gallon / Day

224 PT Day / Max Water Removal 8 Amps on 110V 112 PT Day / Average Water Removal









PRESSURE WASHERS

Cold Water Pressure Washer

2700 PSI, Gas Powered, 76 lbs, Includes several tips for different applications



Hot Water Pressure Washer

3000 PSI, Diesel Burner, Turbo Nozzle Available



DRYWALL LIFT / METAL BRAKE

Drywall Lift

11' Max Height, 6' Extension Available Tilts laterally 65 Degrees for easy loading



Metal Brake

10' Length Optional Cutter Attachment



Texture Sprayer

Great for walls, ceilings and stucco



PUMPS - SUBMERSIBLE & TRASH

Submersible Pump - Electric

110V with 32' Power Cord 2" Discharge 63 GPM Discharge, 0.4 Solid Capacity



2" Gas Trash Pump

2" Suction & Discharge 153 GPM Max Discharge 1" Solid Size Capacity



3" Gas Trash Pump

3" Suction & Discharge 321 GPM Max Discharge 1.5" Solid Size Capacity



SKID STEERS & ATTACHMENTS

Wheeled Bobcat Skid Steer

S175 & S205 Models **Includes Smooth Bucket** Various Attachments Available



Hydraulic Breaker - Skid Steer



Hydraulic Auger - Skid Steer



MINI SKID STEERS & ATTACHMENTS

Toro TX525 Narrow Track

25HP Diesel Engine 34.5" Width with Bucket Turf Friendly at only 2001 Lbs



DitchWitch SK1050

37HP Diesel Engine 1,000 lbs Lift capacity 3,500 lb Weight



Auger Attachment



Breaker Attachment



Grapple Bucket







Fork Attachment

EXCAVATORS

Mini Excavator

Fuel Efficient Yanmar 25HP Diesel Engine 7,075 Lbs 12" or 24" Bucket 10'6" Max Digging Depth 5'W x 8'H



TRAILERS

Dump Trailer

5.5 Ton Max Payload 2-5/16" Ball required with Trailer Brakes



Hydraulic Drop Deck Trailer

Lowers for easy loading 2" Ball Model - 4,000 Lb Capacity 2-5/16" Ball Model - 7,000 Lb Capacity *Only Available when renting with equipment



Tilt Bed Skid Steer Trailer

Tilt Bed with 2-5/16" Ball *Only Available when renting with equipment



Utility Trailer

With Gate for Easy Loading 2" Ball Required



*Only Available when renting with equipment

LANDSCAPE EQUIPMENT

Rototillers

Mid-Tine Tiller Small and Lightweight Handles Fold for Easy Transport

Rear-Tine Tiller Self Propelled, Multi Speed Select, Honda 4 Stroke Engine Good for heavy duty tilling



Honda Gas Engine V blade for edging Trench Blade for invisible fencing 170 Lbs

Sod Cutter

Honda Gas Engine 18" Cut Width up to 2.5"Thickness 373 lbs.

Self Propelled Weed / Brush Mower

26" Fixed Depth
3.75" Cutting Height
Honda Gas Engine
Thick brush up to 6' high, grass and weeds
over 8' tall, and saplings up to 2.0" diameter

Ride on Aerator

No Chains – Hydrostatic direct tine drive No Grease points Aerating Width – 30" Aerate up to 2 acres/hr Time to raise or lower the tines < 0.5 second













Slit Seeder / Overseeder

Honda Gas Engine 18" Seeding Width 2" Spacing on Slits



Honda Gas Engine 18" Working Width Bag less



Honda Gas Engine Plug Type Self Propelled



Honda Gas Engine 20 Ton Vertical or Horizontal Splitting 2" Ball to Tow









GAS POST POUNDER

HANDHELD GAS POST POUNDER

4 Cycle Gas Engine 3-1/8" ID Guide Tube with available reducer for smaller posts Magnum Guide tube available for up to 4" post





BRUSH CHIPPERS

6" Brush Chipper

6" Max Capacity Electric Start Gas Engine Centrifugal Clutch 2" Ball to Tow



Vermeer

12" Brush Chipper

12" Max Capacity
Powerful Diesel Engine
Pintle Hitch to Tow w/ Trailer
Brakes



STUMP GRINDERS

Manual Stump Grinder

13HP Honda Gas Engine 14" Cutting Wheel Cutting Capacity - 20" Above Grade 16" below Grade 300 Lbs Unit Weight



Auto Stump Grinder

Hydraulic Controlled Auto Sweep V-Twin 4 Cycle Gas Engine 19" Cutting Wheel Cutting Capacity - 35" Above Grade 12.5 Below Grade Includes Trailer for Towing - 2" Ball



AUGERS

General EQUIPMENT COMPANY

Tow Behind Gas Operated Augers Tow bar removes at jobsite Max 12" Bit



TRENCHERS



Trencher Walk Behind

20HP Honda Gas Engine 6"Wide by 30" Deep Trench Hydraulic Drive and Hydraulic Stee Track Drive





CONTRACTORS RENTAL & SUPPLY

Madison

1501 Gilson St, Madison, WI 53715 608.257.2349

Janesville

4033 N US Hwy 51. Janesville, WI 53545 608.314.0722

Visit us Online for our full Online sales catalog and latest specials

badgercontractors rental.com